Docket No.: 226272003311

Application No.: 10/020,482

2

AMENDMENTS TO THE CLAIMS

This listing of claims will replace all prior versions, and listings, of claims in the application:

Claims 1-46 (Cancelled)

Claim 47 (Original): A method of generating a population of rAAV particles comprising culturing a producer cell under a stress condition, said producer cell comprising (i) one or more AAV packaging genes, wherein each said AAV packaging gene encodes an AAV replication or encapsidation protein; (ii) a recombinant AAV (rAAV) vector that comprises a heterologous non-AAV polynucleotide flanked by at least one AAV inverted terminal repeat (ITR); and (iii) helper virus function for AAV, whereby about two-fold or more rAAV particles are produced compared to a producer cell not grown under said stress condition.

Claim 48 (Original): The method of claim 47, wherein the producer cell is attachment dependent.

Claim 49 (Previously presented): The method of claim 47, wherein the producer cell is grown in suspension.

Claims 50-92 (Cancelled)

Claim 93 (Currently amended): A method of generating a population of recombinant adeno-associated virus (rAAV) particles, comprising the steps of:

- a) subjecting an AAV producer cell to a stress condition; wherein said AAV producer cell comprises:
 - (i) one or more ΛAV packaging genes, wherein each said AAV packaging gene encodes an AAV replication or encapsidation protein;

Docket No.: 226272003311

- (ii) a recombinant AAV (rΛΛV) pro-vector that comprises a heterologous non-AAV polynucleotide flanked by at least one ΛΛV inverted terminal repeat (ITR); and
- (iii) a helper virus for AAV or a polynucleotide sequence of said helper virus that encodes at least one helper virus function; and
- b) incubating the stressed producer cell of step a) under conditions that are permissive for replication of AAV;

whereby <u>about two-fold or more rAAV</u> particles are produced <u>compared to a producer cell</u> not grown under said stress condition.

Claim 94 (Currently amended): A method of generating a population of rAAV particles according to claim 93, wherein said stress is selected from the group consisting of a nutritional stress, an osmotic stress, a pH stress, a temperature stress, an aerobic stress, a mechanical stress, a radiational stress and a toxic stress.

Claim 95 (Previously presented): A method of generating a population of rAAV particles according to claim 93, wherein said stress is a nutritional stress.

Claim 96 (Previously presented): A method of generating a population of rAAV particles according to claim 93, wherein said stress is an osmotic stress.

Claim 97 (Previously presented): A method of generating a population of rAAV particles according to claim 93, wherein said stress is a pH stress.

Claim 98 (Original): A method of generating a population of rAAV particles according to claim 97, wherein said pH stress comprises raising the pH to above pH 7.2.

Claim 99 (Original): A method of generating a population of rAAV particles according to claim 97, wherein said pH stress comprises elevating the pH to at least 7.4, and wherein the majority of the AAV particles produced are released into the supernatant.

Claim 100 (Original): A method of generating a population of rAAV particles according to claim 97, wherein said pH stress comprises elevating the pH to about 8.0.

Claim 101 (Previously presented): A method of generating a population of rAAV particles according to claim 93, wherein said stress is a temperature stress.

Claim 102 (Previously presented): A method of generating a population of rAAV particles according to claim 93, wherein said stress is an aerobic stress.

Claim 103 (Cancelled)

Claim 104 (Previously presented): A method of generating a population of rAAV particles according to claim 93, wherein said stress is a radiational stress.

Claim 105 (Previously presented): A method of generating a population of rAAV particles according to claim 93, wherein said stress is a toxic stress.

Claim 106 (Original): A method of generating a population of rAAV particles according to claim 95, wherein said nutritional stress is imposed by culturing the producer cells in a medium that is deficient in one or more amino acids.

Claim 107 (Original): A method of generating a population of rAAV particles according to claim 95, wherein said nutritional stress is imposed by culturing the producer cells in a medium that is deficient in aspartic acid.

Claim 108 (Original): A method of generating a population of rAAV particles according to claim 95, wherein said nutritional stress is imposed by culturing the producer cells in a medium that is deficient in glutamic acid.

Claim 109 (Original): A method of generating a population of rAAV particles according to claim 108, wherein the deficient medium contains less than 10 µmol/L of aspartic acid.

Claim 110 (Original): A method of generating a population of rAAV particles according to claim 95, wherein the deficient medium contains less than 2 µmol/L of glutamic acid.

Claim 111 (Original): A method of generating a population of rAAV particles according to claim 95, wherein said nutritional stress is imposed by culturing the producer cells in a medium that is deficient in serum.

Claim 112 (Original): A method of generating a population of rAAV particles according to claim 95, wherein the cells are subjected to said nutritional stress by introducing the cells into a nutritionally deficient medium.

Claim 113 (Cancelled)

Claim 114 (Previously presented): A method of generating a population of rAAV particles according to claim 117, wherein said purified population of rAAV vector particles is substantially free of replication-competent AAV and of helper virus and cellular proteins.

Claim 115 (Previously presented): A method of generating a population of rAAV particles according to claim 118, in which elution from the chromatographic resin is conducted by increasing the salt concentration and chromatographic eluants comprising rAAV particles are subsequently treated to reduce the effective salt concentration by dilution, dialysis, diafiltration or concentration.

Claim 116 (Previously presented): A method of generating a population of rAAV particles according claim 118, including the step of subjecting a fraction comprising AAV particles to heparin sulfate chromatography.

Claim 117 (Currently amended): A method of generating a population of recombinant adeno-associated virus (rAAV) particles, comprising the steps of:

a) incubating an AAV producer cell under conditions that are permissive for replication of AAV and which comprise inducing a stress in the AAV producer cell; wherein said AAV producer cell comprises:

Application No.: 10/020,482 6 Docket No.: 226272003311

(i) one or more AAV packaging genes, wherein each said AAV packaging gene encodes an AAV replication or encapsidation protein;

- (ii) a recombinant ΛΛV (rAAV) pro-vector that comprises a heterologous non-ΛΑV polynucleotide flanked by at least one AAV inverted terminal repeat (ITR); and
- (iii) a helper virus for AAV or a polynucleotide sequence of said helper virus that encodes at least one helper virus function;

whereby about two-fold or more rAAV particles are produced compared to a producer cell not grown under said stress condition;

- b) lysing the producer cell after the incubation of step a) to produce an AAV producer cell lysate; and
- c) purifying the $\Lambda\Lambda V$ producer cell lysate to generate a population of recombinant adenoassociated virus ($r\Lambda\Lambda V$) particles.

Claim 118 (Previously presented): A method of generating a population of rAAV particles according to claim 117, wherein said purifying step c) comprises chromatographing the AAV producer cell lysate of step b) on at least one positively-charged anion exchange resin followed by purifying on either a cation exchange resin or by tangential flow filtration to generate a purified population of rAAV vector particles.

Claim 119 (Previously presented): The method of claim 117, wherein said purifying step c) comprises chromatographing the AAV producer cell lysate of step b) on at least one negatively charged cation exchange resin followed by purifying on an anion exchange resin.

Claim 120 (Previously presented): A method of generating a population of rAAV particles according to claim 117, wherein said purifying step c) comprises chromatographing the AAV producer cell lysate of step b) on a positively-charged anion exchange resin followed by tangential flow filtration to generate a purified population of rAAV vector particles.

Application No.: 10/020,482

7

Docket No.: 226272003311

Claim 121 (Original): A method of generating a population of rAAV particles according to claim 117, wherein said rAAV pro-vector comprises a heterologous non-AAV polynucleotide flanked by two AAV inverted terminal repeats (ITRs).

Claim 122 (Original): A method of generating a population of rAAV particles according to claim 117, wherein said AAV producer cell comprises at least one AAV packaging gene that is stably integrated into the genome of said AAV producer cell.

Claim 123 (Original): A method of generating a population of rAAV particles according to claim 117, wherein said AAV producer cell comprises an AAV *rep* gene and an AAV *cap* gene.

Claim 124 (Original): A method of generating a population of rAAV particles according to claim 117, wherein said helper virus is adenovirus.

Claims 125-177 (Cancelled)

Claim 178 (Previously presented): A method of generating a population of rAAV particles according to claim 47, whereby about five-fold or more rAAV particles are produced compared to a producer cell not grown under said stress condition.

Claim 179 (Previously presented): A method of generating a population of rAAV particles according to claim 47, whereby about ten-fold or more rAAV particles are produced compared to a producer cell not grown under said stress condition.

Claim 180 (Currently amended): A method of generating a population of rAAV particles according to claim 47, wherein said stress is selected from the group consisting of a nutritional stress, an osmotic stress, a pH stress, a temperature stress, an aerobic stress, a mechanical-stress, a radiational stress and a toxic stress.

Claim 181 (Previously presented): A method of generating a population of rAAV particles according to claim 47, wherein said stress is a nutritional stress.

Docket No.: 226272003311

Claim 182 (Previously presented): A method of generating a population of rAAV particles according to claim 47, wherein said stress is an osmotic stress.

Claim 183 (Previously presented): A method of generating a population of rAAV particles according to claim 47, wherein said stress is a pH stress.

Claim 184 (Previously presented): A method of generating a population of rAAV particles according to claim 183, wherein said pH stress comprises raising the pH to above pH 7.2.

Claim 185 (Previously presented): A method of generating a population of rAAV particles according to claim 183, wherein said pH stress comprises elevating the pH to at least 7.4, and wherein the majority of the AAV particles produced are released into the supernatant.

Claim 186 (Previously presented): A method of generating a population of rAAV particles according to claim 183, wherein said pH stress comprises elevating the pH to about 8.0.

Claim 187 (Previously presented): A method of generating a population of rAAV particles according to claim 47, wherein said stress is a temperature stress.

Claim 188 (Previously presented): A method of generating a population of rAAV particles according to claim 47, wherein said stress is an acrobic stress.

Claim 189 (Cancelled)

Claim 190 (Previously presented): A method of generating a population of rAAV particles according to claim 47, wherein said stress is a radiational stress.

Claim 191 (Previously presented): A method of generating a population of rAAV particles according to claim 47, wherein said stress is a toxic stress.

Application No.: 10/020,482 9 Docket No.: 226272003311

Claim 192 (Previously presented): A method of generating a population of rAAV particles according to claim 181, wherein said nutritional stress is imposed by culturing the producer cells in a medium that is deficient in one or more amino acids.

Claim 193 (Previously presented): A method of generating a population of rAAV particles according to claim 181, wherein said nutritional stress is imposed by culturing the producer cells in a medium that is deficient in aspartic acid.

Claim 194 (Previously presented): A method of generating a population of rAAV particles according to claim 181, wherein said nutritional stress is imposed by culturing the producer cells in a medium that is deficient in glutamic acid.

Claim 195 (Previously presented): A method of generating a population of rAAV particles according to claim 194, wherein the deficient medium contains less than 10 µmol/L of aspartic acid.

Claim 196 (Previously presented): A method of generating a population of rAAV particles according to claim 181, wherein the deficient medium contains less than 2 µmol/L of glutamic acid.

Claim 197 (Previously presented): A method of generating a population of rAAV particles according to claim 181, wherein said nutritional stress is imposed by culturing the producer cells in a medium that is deficient in serum.

Claim 198 (Previously presented): A method of generating a population of rAAV particles according to claim 181, wherein the cells are subjected to said nutritional stress by introducing the cells into a nutritionally deficient medium.

Claim 199 (Cancelled)